

BLOCKS 5.0




IRIS U.S. Corporate Office
1360 South Vernon St.
Anaheim, CA 92805

Customer Service
(800) 323-9906

IRISUS.COM



USIRISB518



MADE IN THE U.S.A.





created by nature

PERFECTED BY US

BLOCKS 5.0

AN ARTISTIC APPROACH

to the **blocks 5.0** collection in a rustic and contemporary style, creates the porcelain tile that has textures and colors of the painted wood

BLOCKS 5.0

offers five colors in honed and lappato finishes, appealing decorative mosaics and trim pieces, to create modern and contemporary interiors with a touch of rustic and grunge styles



LOOKS LIKE WOOD

**HARDER THAN
CONCRETE**

DARK

block



24" x 48" available on demand



6" x 36"



12" x 24"



18" x 36"

INDUSTRIAL

WOOD

DARK INDUSTRIAL WOOD



DARK

GRUNGE

WOOD

DARK

GRUNGE

WOOD

INDUSTRIAL

DARK

INDUSTRIAL WOOD

GRUNGE



wall | block dark | 6" x 36"
floor | block dark | 18" x 36"



wall | block dark | 6" x 36"
floor | block dark | 18" x 36"



wall | block dark | block white | 12" x 24"



floor | block dark | 18" x 36"

RUST

block



24" x 48" available on demand



6" x 36"



12" x 24"



18" x 36"



URBAN RUSTIC

bring a piece of nature to your home



floor | block rust | 6" x 36" & 18" x 36"



floor | block rust | 6" x 36" & 18" x 36"





floor | block rust | 6" x 36" & 18" x 36"

WOOD

block



24" x 48" available on demand



6" x 36"



12" x 24"



18" x 36"

FEEL LIKE AT HOME

wherever your road may take you





floor | block wood | block grey | block rust | 6" x 36" & 12" x 24"



floor | block wood | block grey | block rust | 6" x 36" & 12" x 24"



wall | block wood | block white | 12" x 24"



floor | block wood | block white | block rust | 6" x 36"

GREY
block




24" x 48" available on demand



6" x 36"



12" x 24"



18" x 36"

WOODEN PARADISE

when nature meets technology to make your home a perfect place...

block grey

*colors and textures of the wood
comes with the strength and beauty of the stone*



floor | block grey | block wood | 6" x 36"



floor | block grey | block wood | 6" x 36"



floor | block grey | 6" x 36" & 12" x 24"



floor | block grey | block wood | 6" x 36" & 18" x 36"

WHITE

block



24" x 48" available on demand



6" x 36"



12" x 24"



18" x 36"

pure color
rich texture

block
WHITE



floor | block white | 12" x 24"

wall | block white | block wood | block dark | 12" x 24"



wall | block white | block dark | 12" x 24"
 floor | block white | 12" x 24"



floor | block wood | block white | block rust | 6" x 36"





DARK

RUST



GREY

WOOD

WHITE

TECHNICAL INFORMATION

COLORS & SIZES

	18" x 36"		6" x 36"		12" x 24"		24" x 48"
	Honed	Lappato	Honed	Honed	Lappato	On Demand	
BLOCK DARK	IRG1836150	IRSP1836150	IRG0636150	IRG1224150	IRSP1224150	—	
BLOCK RUST	IRG1836152	IRSP1836152	IRG0636152	IRG1224152	IRSP1224152	—	
BLOCK GREY	IRG1836151	IRSP1836151	IRG0636151	IRG1224151	IRSP1224151	—	
BLOCK WHITE	IRG1836153	IRSP1836153	IRG0636153	IRG1224153	IRSP1224153	—	
BLOCK WOOD	IRG1836154	IRSP1836154	IRG0636154	IRG1224154	IRSP1224154	—	

MOSAICS & TRIMS



2" x 2" Mosaic	Bullnose	Cove Base	
on 12" x 12" sheet	4" x 36"	6" x 12"	
IRG12MO150	IRG436BT150	IRG612C150	BLOCK DARK
IRG12MO152	IRG436BT152	IRG612C152	BLOCK RUST
IRG12MO151	IRG436BT151	IRG612C151	BLOCK GREY
IRG12MO153	IRG436BT153	IRG612C153	BLOCK WHITE
IRG12MO154	IRG436BT154	IRG612C154	BLOCK WOOD

TECHNICAL INFORMATION

PHYSICAL-CHEMICAL PROPERTIES	TEST	INDUSTRY STANDARDS	IRIS US RESULTS
SIZES	Calibrated (non rectified)		
	ASTM C499	• Range of Thickness (inch)	± 0.040 Inc. Max.
	ASTM C499	• Average Facial Dimension	± 0.50%
	ASTM C485	• Warpage	± 0.75% on any edge
	ASTM C485	• Warpage	± 0.50% on diagonal
	ASTM C502	• Warpage	± 0.50%
	Rectified		
	ASTM C499	• Range of thickness (Inch)	± 0.040 Inc. Max.
	ASTM C499	• Avarage facial dimension	± 0.25%
	ASTM C485	• Warpage average edge	± 0.40%
	ASTM C485	• Warpage average diagonal	± 0.40%
	ASTM C502	• Wedging	± 0.25%
WATER ABSORPTION	ASTM C373	Impervious ≤ 0.5%	≤ 0.1%
BOND STRENGTH	ASTM C482	≥ 50 psi	≥ 200 psi
VISIBLE ABRASION RESISTANCE	ASTM C1027	No requirement • Range 0 - 5	Class 4
HARDNESS (MOHS)	Scratch Test (No regulated)	Range 0 -10	≥ 7
FROST RESISTANCE	ASTM C1026	No sample must show alterations to surface	No evidence of damage
CHEMICAL RESISTANCE	ASTM C650	No requirement • Range E - A	Class A
STAIN RESISTANCE	C1378	No requirement • Range E - A	Class A*
BREAKING STRENGHT	ASTM C648	250 lbf or grater	≥ 400 lbf
AESTHETIC CLASSICATION	Visual Evaluation Shade & Texture	No requirement • Range V0 - V4	V2
COEFFICIENT OF FRICTION (DCOF)	BOT 3000	≥ 0.42*	≥ 0.55*

Data was taken from a representative colored body collection. Individual product testing can be conducted by request.

*All values are given for Matte or Honed material, etc. No values are given for Polished material. Iris US does not recommend polished surfaces in areas subject to exposure from grease, oil or water. (All values are based on ASTM C1028 and Acutest DCOF).

PACKAGING

PRODUCT	SIZE	BOX/PIECES	BOX/SF	PALLET/BOXES	PALLET/SF	THICKNESS	WEIGHT LB/SF
Floor & Wall Tile	18" x 36"	5	22.189	18	399.402	8 mm	3.63
	6" x 36"	7	10.21	36	367.56	8 mm	3.63
	12" x 24"	8	15.751	32	504.03	8 mm	3.55
							LB/PIECE
2" x 2" Mosaic	12" x 12"	5	4.896	—	—	8 mm	3.55
Bullnose	4" x 36"	16	15.779	—	—	8 mm	2.75
Cove Base	6" x 12"	8	3.876	—	—	7.5 mm	1.70



USIRISB518

Due to the paper finish and the printing settings (or your screen settings if viewed digitally), it is normal to see a slight difference in the colors and textures of the product images and room-scene images in the catalogue, with the actual colors and textures of the product.