


Iris U.S. Customer Service
800.323.9906
www.irisus.com



USIRISMA13




Made in the USA



Marmi



Statuario Venato



Crema Marfil



Daino Reale




Crosscut Travertine



Jura Beige



Dark Emperor



Marmi Collection

featuring Honed and Lappato finish



Digital Technology

A new glazing technology which allows for no repetition and a natural effect through high resolution, computer generated images and consistent shading production.

Marmi Collection

COLORED
BODY
MATERIAL

Rectified

V2

32%



Crema Marfil

					
Honed Lappato	18 x 18 IRG1818094 IRSP1818094	12 x 24 IRG1224094 IRSP1224094	12 x 12 IRG1212094 IRSP1212094	6 x 6 IRG0606094 IRSP0606094	3 x 6 IRG0306094 IRSP0306094



Crosscut Travertine

					
Honed Lappato	18 x 18 IRG1818095 IRSP1818095	12 x 24 IRG1224095 IRSP1224095	12 x 12 IRG1212095 IRSP1212095	6 x 6 IRG0606095 IRSP0606095	3 x 6 IRG0306095 IRSP0306095




Daino Reale

					
Honed Lappato	18 x 18 IRG1818100 IRSP1818100	12 x 24 IRG1224100 IRSP1224100	12 x 12 IRG1212100 IRSP1212100	6 x 6 IRG0606100 IRSP0606100	3 x 6 IRG0306100 IRSP0306100



Jura Beige

		
Honed	12 x 24 IRG1224097	12 x 12 IRG1212097



Dark Emperador

			
Honed Lappato	18 x 18 IRG1818096 IRSP1818096	12 x 24 IRG1224096 IRSP1224096	12 x 12 IRG1212096 IRSP1212096



Marmi Collection



Statuario Venato 12" x 24" Honed

					
3 x 6 IRG0306099 IRSP0306099	6 x 6 IRG0606099 IRSP0606099	12 x 12 IRG1212099 IRSP1212099	12 x 24 IRG1224099 IRSP1224099	18 x 18 IRG1818099 IRSP1818099	Honed Lappato



Statuario Venato



Statuario Venato 24" x 24" honed



Statuario Venato various sizes cut from 12" x 24" lappato



Crema Marfil 12" x 24" honed
Dark Emperador 12" x 24" honed




Daino Reale 18" x 18" honed



Crosscut Travertine 12" x 24" honed

Marmi Mosaics & Trim



Mosaic

1 x 2

Honed

Jura Beige

IRG12MS097




Mix Mosaic

1 x 2

Honed

IRG12MS3701

Crema Marfil /
Dark Emperador




Mix Mosaic

2 x 2

Honed

Crosscut Travertine /
Daino Reale

IRG12MS2701



Mosaic

1 x 1


Honed

IRG12MS199

Lappato

IRSP12MS199

Statuario Venato



Mosaic

2 x 2

Honed

Crema Marfil

IRG12M094P

Lappato

IRSP12MO094P

Crosscut Travertine

IRG12M095P

IRSP12MO095P

Daino Reale

IRG12M100P

IRSP12MO100P

Dark Emperador

IRG12M096P

IRSP12M096P

Jura Beige

IRG12M097P

N/A

Statuario Venato

IRG12M099P

IRSP12M099P



Bullnose

3 x 12

Honed

IRG312BT94

Lappato

IRSP312BT94

Crema Marfil

IRG312BT95

IRSP312BT95

Crosscut Travertine

IRG312BT100

IRSP312BT100

Daino Reale

IRG312BT96

IRSP312BT96

Dark Emperador

IRG312BT97

IRSP312BT97

Jura Beige

IRG312BT99

IRSP312BT99

Statuario Venato



Crema Marfil 18” x 18” honed



Daino Reale 12” x 24” honed

C1028
COF
Dry ≥ 0.80
Wet ≥ 0.60

Acutest
DCOF
Wet ≥ 0.42

Marmi Tech Specs

PHYSICAL PROPERTIES	TEST	INDUSTRY STANDARDS		IRIS US RESULTS COLORED BODY
Water Absorption	ASTM C373	0.5% Maximum		≤ 0.1%
Size				
Calibrated (non rectified)	ASTM C499	• Range of Thickness (inch)	0.040	≤ 0.040
	ASTM C499	• Average Facial Dimension	± 0.50%	≤ ± 0.50%
	ASTM C485	• Warpage	± 75% on any edge	≤ ± 0.75%
	ASTM C485	• Warpage	± 50% on diagonal	≤ ± 0.50%
	ASTM C502	• Wedging	± 0.50%	≤ ± 0.50%
Rectified	ASTM C499	• Range of Thickness (inch)	0.040	≤ 0.040
	ASTM C499	• Average Facial Dimension	± 0.25%	≤ 0.25%
	ASTM C485	• Warpage	± 0.40% on any edge	≤ 0.40%
	ASTM C485	• Warpage	± 0.40% on diagonal	≤ 0.40%
	ASTM C502	• Wedging	± 0.25%	≤ 0.25%
Bond Strength	ASTM C482	50 psi or greater		> 200 psi
Deep Abrasion	ASTM C1243	< 175 mm ³		< 150 mm ³
Hardness (Mohs scale)		No requirement		≥ 7
Frost Resistance (Freeze/Thaw)	ASTM C1026	No sample must show alterations to surface		No cracking or spalling occurred
Chemical Resistance	ASTM C650	No requirement		Class A
Breaking Strength	ASTM C648	250 lbf or greater		≥ 350 lbf
Coefficient of Friction (static)	ASTM C1028	No requirement		Per collection

Data taken from a representative colored body collection. Individual product testing can be conducted by request.

Coefficient of Friction: All values given are for matte or honed material. No values are given for polished material. Iris U.S. does not recommend polished surfaces in areas subject to exposure from grease, oil or water. (All values are based on ASTM C1028 and Acutest DCOF)

Marmi Packaging

PRODUCT	FINISH	SIZE	BOX PIECES	BOX SF	PALLET BOXES	PALLET SF	THICKNESS	WEIGHT LB/SF
Floor & Wall Tile	Honed & Lappato	18 x 18	6	13.313	60	798.78	8	3.55
	Honed & Lappato	12 x 24	8	15.751	32	504.032	8	3.55
	Honed & Lappato	12 x 12	10	9.793	60	587.58	8	3.55
	Honed & Lappato	6 x 6	40	9.588	60	575.28	8	3.55
	Honed & Lappato	3 x 6	66	7.91	42	332.22	8	3.55
								LB PER PIECE
Mosaics on 12 x 12 Sheet	Honed & Lappato	2 x 2	5	4.896	-	-	8	3.55
	Honed	1 x 2	4	3.917	-	-	8	3.55
	Honed & Lappato	1 x 1	5	4.896	-	-	8	3.55
Bullnose	Honed & Lappato	3 x 12	15	3.634	-	-	8	0.90